

GOLD EAGLE CO

-- 765-1069 STA-BIL FUEL STABILIZER

=====
MSDS Safety Information
=====

FSC: 4210

NIIN: 00-134-8955

MSDS Date: 02/20/1992

MSDS Num: CCVQW

Product ID: 765-1069 STA-BIL FUEL STABILIZER

MFN: 03

Responsible Party

Cage: 2M612

Name: GOLD EAGLE CO

Address: 4400 S KILDARE

Box: 97267

City: CHICAGO IL 60690

Info Phone Number: 312-376-4400 / FAX 312-376-3245

Emergency Phone Number: 800-535-5053/800-424-9300(CHEMTREC)

Review Ind: Y

Published: Y

=====
Contractor Summary
=====

Cage: 70842

Name: BALKAMP INC

Address: 2601 S HOLT ROAD

City: INDIANAPOLIS IN 46241

Phone: 317-244-7241

Cage: 2M612

Name: GOLD EAGLE COMPANY

Address: 4400 S KILDARE BLVD.

Box: 97267

City: CHICAGO IL 60632-4372

Phone: 773-376-4400

Cage: 050Q3

Name: NAPA, A DIVISION OF LINCOLN AUTOMOTIVE

Address: ONE LINCOLN WAY

City: ST. LOUIS MO 63120-1578

Phone: 414-255-5520

=====
Item Description Information
=====

Item Manager: S9I

Item Name: STABILIZER, GASOLINE

Specification Number: NONE

Type/Grade/Class: NONE

Unit of Issue: EA

UI Container Qty: Z
Type of Container: UNKNOWN

=====
Ingredients
=====

Cas: 64742-94-5
RTECS #: WF3100000
Name: HEAVY AROMATIC NAPHTHA (SOLVENT NAPHTHA)
% Wt: 90-100
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Name: ADDITIVE
% Wt: 0-5
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 91-20-3
RTECS #: QJ0525000
Name: NAPHTHALENE (SARA 313) (CERCLA)
% Wt: 0-5
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 10 PPM
ACGIH TLV: 10 PPM/15 STEL; 9596
EPA Rpt Qty: 100 LBS
DOT Rpt Qty: 100 LBS

=====
Health Hazards Data
=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.
Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: INHAL: LOW RISK OF INHAL. NOT EXPECTED TO CAUSE IRRIT.
SKIN: NOT EXPECTED TO CAUSE IRRIT. INGEST: LOW ORDER OF ACUTE ORAL TOXICITY BUT
MAY BE ASPIRATED INTO LUNGS DURING INGEST OR VOMIT. EYE: MAY CAUSE
IRRIT.
Explanation Of Carcinogenicity: PER MSDS: CARCINOGENIC: NTP/IARC/
OSHA: NO.
Signs And Symptoms Of Overexposure: ASPIRATED INTO LUNGS DURING INGEST OR
VOMIT. EYE IRRIT.
Medical Cond Aggravated By Exposure: EXISTING DERMATITIS MAY BE AGGRAVATED.

First Aid: INHAL: REMOVE TO FRESH AIR. RESTORE OR SUPPORT BREATHING AS REQUIRED. SEEK IMMEDIATE MEDICAL ATTENTION. SKIN: WASH WITH SOAP/WATER. IRRITATION PERSISTS/DEVELOPS SEEK MEDICAL ATTENTION. INGEST: DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY. EYE: FLUSH WITH RUNNING WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION.

=====
Handling and Disposal
=====

Spill Release Procedures: REMOVE SOURCES OF HEAT/IGNITION. PROVIDE ADEQUATE VENTILATION. CONTAIN LEAK. ABSORB WITH OIL DRY/SAND/INERT ABSORBENT MATERIAL & PLACE IN CLEAN METAL CONTAINER.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS. SUBJECT TO REPORTING REQUIREMENTS OF SARA 313/40CFR 372.

Handling and Storage Precautions: STORE IN COOL (<150°F) DRY AREA AWAY FROM STRONG OXIDANTS.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC

Flash Point Text: 150°F, 66°C

Lower Limits: 0.8

Upper Limits: 7.0

Extinguishing Media: CO₂, FOAM, WATER FOG, DRY CHEMICAL.

Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS IN POSITIVE PRESSURE DEMAND SHOULD BE WORN.

Unusual Fire/Explosion Hazard: NOT KNOWN.

=====
Control Measures
=====

Respiratory Protection: USE NIOSH/MSHA RESPIRATOR WITH ORGANIC CARTRIDGES OR SUPPLIED AIR RESPIRATOR IF EXPOSURE LEVEL FOR NAPHTHALENE IS EXCEEDED.

Ventilation: PROVIDE PROPERLY ENGINEERED VENTILATION TO MAINTAIN AROMATIC VAPORS BELOW ACGIH TWA FOR NAPHTHALENE.

Protective Gloves: NONE SPECIFIED BY MANUFACTURER.

Eye Protection: SPLASH GOGGLES, FACE SHIELD AS REQUIRED.

Other Protective Equipment: CHEMICAL RESISTANT CLOTHING AS REQUIRED.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

HCC: T6

B.P. Text: 350°F, 177°C

M.P./F.P. Text: NA

Vapor Pressure: <3

Vapor Density: 4.8

Specific Gravity: 0.9

Solubility in Water: NEGLIGIBLE
Appearance and Odor: LIQUID, AMBER COLOR, SOLVENT ODOR.
Percent Volatiles by Volume: 100

=====
Reactivity Data
=====

Stability Indicator: YES
Stability Condition To Avoid: HEAT, OPEN FLAMES, SOURCES OF IGNITION.
Materials To Avoid: STRONG OXIDANTS.
Hazardous Decomposition Products: CO, CO2, SMOKE, PRODUCTS OF COMBUSTION.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NONE SPECIFIED BY MANUFACTURER.

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Transportation Information
=====

Responsible Party Code: 2M612
Trans ID NO: 49478
Product ID: 765-1069 STA-BIL FUEL STABILIZER
MSDS Prepared Date: 02/20/1992
Review Date: 02/10/1997
MFN: 3
Net Unit Weight: UNKNOWN
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: EA
Container QTY: Z
Type Of Container: UNKNOWN

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
Detail IMD Information
=====

IMD PSN Code: ZZZ
IMD Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
HAZCOM Label
=====

Product ID: 765-1069 STA-BIL FUEL STABILIZER
Cage: 2M612
Company Name: GOLD EAGLE COMPANY
Street: 4400 S KILDARE BLVD.
PO Box: 97267
City: CHICAGO IL
Zipcode: 60632-4372
Health Emergency Phone: 800-535-5053/800-424-9300(CHEMTREC)
Label Required IND: Y
Date Of Label Review: 02/10/1997
Status Code: C
Label Date: 02/10/1997
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: WARNING
Respiratory Protection IND: YES
Health Hazard: Moderate
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None
Hazard And Precautions: INHAL: LOW RISK OF INHAL. NOT EXPECTED TO CAUSE IRRIT.
SKIN: NOT EXPECTED TO CAUSE IRRIT. INGEST: LOW ORDER OF ACUTE ORAL TOXICITY BUT
MATL COULD BE ASPIRATED INTO LUNGS DURING INGEST OR VOMIT. EYE: MAY CAUSE
IRRIT. STORE IN COOL (<150F) DRY AREA AWAY FROM STRONG OXIDANTS. FIRST
AID: INHAL: REMOVE TO FRESH AIR. RESTORE OR SUPPORT BREATHING AS REQUIRED. SEEK
IMMED MED ATTN. SKIN: WASH W/SOAP/WATER. IRRIT PER SISTS/DEVELOPS SEEK MED
ATTN. INGEST: DO NOT INDUCE VOMIT. CALL PHYSICIAN IMMED. EYE: FLUSH W/RUNNING
FOR @LEAST 15MINS. SEEK MED ATTN. TARGET ORGAN: EYE.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.